

Name of Spa:
Location:
Certified Operator:

**Worcester County Health Department
Spa Operating Record
Public Spa Every 2 Hour Testing**

Readings taken by: _____

Week Beginning _____ 20____		SUN	MON	TUES	WED	THURS	FRI	SAT
8:00 A.M.	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
10:00 A.M.	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
12:00 Noon	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
2:00 P.M.	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
4:00 P.M.	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
6:00 P.M.	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
8:00 P.M.	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
10:00 P.M.	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
12:00 Midnight	Free available chlorine or total bromine							
	Combined chlorine							
	pH							
Prior to Opening	Clarity							
	Water Temperature (If heated)							
	Rate of flow							
	Filter Influent/Effluent Pressure							
	Pump vacuum							
Between 12:00 Noon and 2:00 P.M.	Total # of bathers							
	Clarity							
	Water Temperature (If heated)							
	Rate of flow							
	Filter Influent/Effluent Pressure							
2 Hours Prior to Closing	Pump vacuum							
	Total # of bathers							
	Clarity							
	Water Temperature (If heated)							
	Rate of flow							
Once Each Day	Filter Influent/Effluent Pressure							
	Pump vacuum							
	Total # of bathers							
	Clarity							
	Total Alkalinity							
	Calcium Hardness							
Remarks: (Accidents, Chemicals Added, Etc.)	Cyanuric Acid (If used)							
	Time of Filter Backwash							
	Chemicals Added							
	Malfunctioning or Broken Equipment							
	Injury or Accident							

Disinfectant used:	
Gas Chlorine	<input type="checkbox"/>
Sodium Hypochlorite	<input type="checkbox"/>
Calcium Hypochlorite	<input type="checkbox"/>
Lithium Hypochlorite	<input type="checkbox"/>
Ozone	<input type="checkbox"/>
Bromine	<input type="checkbox"/>
Other:	

